

MOVE THE WORLD FORWARD MITSUBISHI  
HEAVY  
INDUSTRIES  
GROUP



**WORLD LEADER**



**CRJ Series**

**MHIRJ**

# CRJ700

## GENERAL

Flight Crew	Cabin Crew
2	2 to 3
Same type rating across CRJ family	

Passengers	
Dual Class	66 Passengers (39/31 in. pitch)
Single Class	74 Passengers (31 in. pitch)
Maximum Capacity	78 Passengers (31/30 in. pitch)

## AVIONICS INFO\*

- Rockwell Collins Pro Line 4 with six-screen EFIS/EICAS
- Traffic alert & collision avoidance system (TCAS) v7.1
- Capabilities: Coupled VNAV, SBAS/WAAS, LPV, RNP 0.3, Link 2000+, ADS-B Out

## ENGINE

### 2 GE CF34-8C5B1 turbofans

#### Thrust

12,670 lbf. / 56.4 kN at takeoff  
13,790 lbf. / 61.3 kN thrust APR

#### Flat Rating

ISA + 15.0°C

## PERFORMANCE

### Range (225 lb. / 102 kg per pax.)

1,400 NM    1,611 SM    2,593 km

### Speed

Maximum Cruise Speed:			
0.825 Mach	473 kts	544 mph	876 km/h
Normal Cruise Speed:			
0.78 Mach	447 kts	515 mph	829 km/h

### Takeoff Field Length (ISA, SL, MTOW)

5,265 ft.    1,605 m

### Landing Field Length (ISA, SL, MLW)

5,040 ft.    1,540 m

## CEILING

### Maximum Operating Altitude

41,000 ft. / 12,497 m

## NOISE LEVEL

Flyover	Lateral
82.0 EPNdB	89.6 EPNdB
Approach	Margin to Stage 4
92.6 EPNdB	6.8 EPNdB

## EMISSIONS (MARGINS TO CAEP6)

NOx	Smoke
28.8%	75.9%
UHC (Unburned Hydrocarbons)	CO
97.2%	60.5%

## EXTERNAL DIMENSIONS

Length	Wingspan
106 ft. 1 in. / 32.3 m	76 ft. 3 in. / 23.2 m
Wing Area (net)	Height
760 ft. <sup>2</sup> / 70.6 m <sup>2</sup>	24 ft. 10 in. / 7.6 m
Fuselage Max Diameter	
8 ft. 10 in. / 2.7 m	

## INTERNAL DIMENSIONS

Cabin Length	Cabin Max Width (Centreline)
56 ft. 7 in. / 17.25 m	8 ft. 4 in. / 2.55 m
Cabin Width (Floor Level)	Cabin Aisle Height
7 ft. 1 in. / 2.16 m	6 ft. 2 in. / 1.89 m
Cabin Volume	Overhead Bin Volume per Pax.
2,430 ft. <sup>3</sup> / 68.81 m <sup>3</sup>	1.9 ft. <sup>3</sup> / 0.05 m <sup>3</sup>
Cargo Volume	Floor Area
547 ft. <sup>3</sup> / 15.5 m <sup>3</sup>	414 ft. <sup>2</sup> / 38.5 m <sup>2</sup>

## DOORS & EXITS

Passenger Door	LH FWD
Height	5 ft. 10 in. / 1.78 m
Width	3 ft. / 0.91 m
Height to Sill	5 ft. 8 in. / 1.73 m
Cargo Door	LH AFT
Height	2 ft. 9 in. / 0.84 m
Width	3 ft. 7 in. / 1.09 m
Height to Sill	7 ft. 7 in. / 2.31 m
Service Door	RH FWD
Height	4 ft. / 1.22 m
Width	2 ft. / 0.61 m
Height to Sill	5 ft. 8 in. / 1.73 m
Overwing Exits	LH / RH
Height	3 ft. 7 in. / 1.09 m
Width	1 ft. 8 in. / 0.51 m

## WEIGHT

Maximum Ramp Weight	
Base	73,000 lb. / 33,113 kg
Max	75,250 lb. / 34,133 kg
Maximum Takeoff Weight	
Base	72,750 lb. / 32,999 kg
Max	75,000 lb. / 34,019 kg
Maximum Landing Weight	
	67,000 lb. / 30,391 kg
Maximum Zero Fuel Weight	
	62,300 lb. / 28,259 kg
Maximum Payload	
	18,055 lb. / 8,190 kg
Cargo Weight	
	5,375 lb. / 2,438 kg



MHIRJ Group  
mhjr.com



Scan to be taken to the CRJ Series on the new MHIRJ website

\* Some features optional  
MHIRJ, CRJ Series and CRJ700 are trademarks of MHIRJ Aviation ULC, or its group companies. The information in this document is proprietary to MHIRJ Aviation ULC, or its group companies. All MHIRJ Aviation ULC specifications and data are approximate, may change without notice and subject to certain operating rules, assumptions and other conditions. This document does not constitute an offer, commitment, representation, guarantee or warranty of any kind, and the configuration and performance of any aircraft shall be determined in a final purchase agreement. This document must not be reproduced or distributed in whole or in part to or by a third party. MHIRJ Aviation ULC shall be notified in writing of all requests for permission to disclose.  
Printed in Canada

